



TVS Racing

ABS Dual Channel ABS



3 Ride Modes



TVS

MIII CONFIDENCE-INSPIRING CONTROL

The TVS Apache RTR 160 4V, the most powerful 160cc in its class, is now here with unmatched control. With track-derived upgrades, the race machine is even more primed to claim victory.

USD SUSPENSION*

More control, more stability, more confidence. The 37mm Upside Down (USD) Suspension enhances stability – delivering a more balanced and controlled ride on the straights, and quicker response and greater agility in the corners.

RACE-INSPIRED AESTHETICS*

Sporty race graphics, premium gold-finished front forks and coloured alloy wheels elevate the race-inspired aesthetics of the TVS Apache RTR 160 4V. Together, they give the race machine a bold, dynamic presence that perfectly complements its high-performance capabilities.



GRANITE GREY

MATTE BLACK

/// PEARL WHITE

ENTER THE PERFORMANCE WORLD

2



A worldwide community of over 450,000 Apache enthusiasts who share the passion for rides of all kinds.



The platform for adrenaline-packed stunt shows and training sessions, under safe conditions and expert guidance from professional stunt riders.



Get track-ready with training sessions led by championship winning mentors across the country, and frequent races to test your skills against expert racers and fellow enthusiasts.

Get your hands on official **Apache Merchandise** and branded goodies at https://shop.tvsmotor.com

SPECIFICATIONS

ENGINE

Type Engine Capacity Maximum Power

Maximum Torque

Fuel Supply System Valve Per Cylinder Ignition Cooling System Muffler Gearbox Power to weight ratio Frame Front Suspension Rear Suspension SI, 4 Stroke, Oil-Cooled, SOHC, Fuel Injection 159.7 cm³ Sport: 12.91 kW (17.55 PS) @ 9250 rpm Urban / Rain: 11.5 kW (15.64 PS) @ 8600 rpm Sport: 14.73 Nm @ 7500 rpm Urban / Rain: 14.14 Nm @ 7000 rpm Fuel Injection: Bosch - Closed Loop 4 Valves **Electric Start** Oil-Cooler with Ram Air Assist **Bullpup Exhaust Design** 5 Speed Gearbox 0.088 kW/ka Double Cradle Split Synchro Stiff Frame Upside Down Forks with 37mm dia Monoshock

FUEL TANK CAPACITY Full

12 L

1050 mm

2035 mm

819 mm

1357 mm

180 mm

800 mm

12V, 6Ah

LED

DIMENSION Height Length Width Wheelbase Ground Clearance Saddle Height

ELECTRICAL

Battery Headlamp Tail Lamp

TYRE

Tyre (Front) Tyre (Rear)

BRAKE

Front Rear Brake Fluid 270 mm dia Petal Disc 240 mm dia Petal Disc DOT 3 / DOT 4

LED Headlamp with DRL

90/90-17 49P Tubeless

130/70 R17 M/C 62P Tubeless (Radial tyre)

WEIGHTS

Kerb Weight

146 kg

PERFORMANCE

Max Speed

Sport: 114 km/h Urban / Rain: 103 km/h

KEY FEATURES

» USD Front Forks

» Ride Modes – Sport, Urban & Rain

» Dual Channel ABS with RLP

» Coloured Alloy Wheels

- » Bluetooth Connectivity with Voice Assist
- LED Headlamp with DRL
- Adjustable Brake and Clutch Levers
- » Radial Rear Tyre

